

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 1 | "10/539,648" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/12 16:26 |
| S2 | 3 | (digest with digital with signature with hash with condition\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/12 16:53 |
| S3 | 1 | (digest with digital with signature with hash with condition\$2) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/12 16:57 |
| S4 | 5 | (digest with signature with hash with condition \$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/12 16:59 |
| S5 | 1 | (digest with signature with hash with condition \$2) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/12 16:59 |
| S6 | 24 | (digest with signature with condition\$2) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/12 17:00 |
| S7 | 5 | (hash with signature with condition\$2 with (cryptography or encrypt \$4)) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 17:57 |

| | | | | | | |
|-----|----------|---|---|----|----|---------------------|
| S8 | 1 | "09/831,071" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 18:00 |
| S9 | 1169 | (hash with signature with (cryptography or encrypt \$4)) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 18:02 |
| S10 | 26056084 | (hash with signature with (cryptography or encrypt \$4)) and (digest) and (condition) @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 18:03 |
| S11 | 148 | (hash with signature with (cryptography or encrypt \$4)) and (digest) and (condition) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 18:03 |
| S12 | 12 | (hash with signature with (cryptography or encrypt \$4)) and (digest) and (content with condition) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 18:04 |
| S13 | 1 | "08/822,732" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 18:20 |
| S14 | 9 | "09/201,475" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 07:32 |
| S15 | 2 | (hash with signature with (cryptography or encrypt \$4)) and (digest with condition) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 08:02 |
| S16 | 90 | (hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with condition) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 08:03 |

| | | | | | | |
|-----|--------|--|---|----|-----|---------------------|
| S17 | 44 | (hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with condition) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 08:06 |
| S18 | 97 | (hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with (condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 08:52 |
| S19 | 71 | (hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with (condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/08/14 09:01 |
| S20 | 120 | (hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) same(condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/08/14 09:23 |
| S21 | 195636 | ((("380") or ("709") or ("726") or ("711") or ("713")).CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/08/14 17:56 |
| S22 | 1 | "10/539,648" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:56 |
| S23 | 1 | S21 and S22 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:56 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S24 | 3 | (digest with digital with signature with hash with condition\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S25 | 3 | S21 and S24 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S26 | 1 | (digest with digital with signature with hash with condition\$2) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S27 | 1 | S21 and S26 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S28 | 5 | (digest with signature with hash with condition \$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S29 | 5 | S21 and S28 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S30 | 1 | (digest with signature with hash with condition \$2) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S31 | 1 | S21 and S30 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S32 | 24 | (digest with signature with condition\$2) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |

| | | | | | | |
|-----|----------|--|---|----|----|---------------------|
| S33 | 15 | S21 and S32 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S34 | 5 | (hash with signature with condition\$2 with (cryptography or encrypt \$4)) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S35 | 4 | S21 and S34 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S36 | 1 | "09/831,071" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S37 | 1 | S21 and S36 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S38 | 1169 | (hash with signature with (cryptography or encrypt \$4)) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S39 | 729 | S21 and S38 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:57 |
| S40 | 26056084 | (hash with signature with (cryptography or encrypt \$4)) and (digest) and (condition) @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S41 | 98389 | S21 and S40 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S42 | 148 | (hash with signature with (cryptography or encrypt \$4)) and (digest) and (condition) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S43 | 116 | S21 and S42 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S44 | 12 | (hash with signature with (cryptography or encrypt \$4)) and (digest) and (content with condition) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S45 | 9 | S21 and S44 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S46 | 2 | (hash with signature with (cryptography or encrypt \$4)) and (digest with condition) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S47 | 1 | S21 and S46 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S48 | 9 | "09/201,475" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S49 | 7 | S21 and S48 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:58 |
| S50 | 90 | (hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with condition) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:59 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S51 | 63 | S21 and S50 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:59 |
| S52 | 44 | (hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with condition) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:59 |
| S53 | 29 | S21 and S52 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:59 |
| S54 | 71 | (hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with (condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/08/14 17:59 |
| S55 | 54 | S21 and S54 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/14 17:59 |
| S56 | 120 | (hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) same(condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/08/14 17:59 |
| S57 | 2 | ("20060126835").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/04 12:59 |

| | | | | | | |
|-----|--------|--|---|----|-----|---------------------|
| S58 | 209245 | ((("380") or ("709") or ("726") or ("711") or ("713")).CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/04 14:14 |
| S59 | 121 | (hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) same(condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/04 14:14 |
| S60 | 97 | S58 and S59 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/04 14:14 |
| S61 | 28 | (hash\$3 with (digest or signature) with (cryptography or encrypt \$4) with (connect\$3 or concatenat\$3 or combin \$3)) and ((digest or signature) same (condition\$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/04 14:18 |
| S62 | 1 | "08/822,732" | USPAT | OR | OFF | 2010/02/04 14:45 |
| S63 | 1 | "08/822,732" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/04 14:45 |
| S64 | 1 | "09/719,056" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/04 14:47 |
| S65 | 47831 | ("713").CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/13 11:52 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S66 | 6 | ((hash\$3 digest or signature) with (cryptography or encrypt \$4) with (connect\$3 or concatenat\$3 or combin \$3) with (condition\$3 or terms or policy) with (data or content)) and @ad < "20021221" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/13 11:56 |
| S67 | 7 | ((hash\$3 digest or signature) with (cryptography or encrypt \$4) with (connect\$3 or concatenat\$3 or combin \$3) with (condition\$3 or terms or policy) with (data or content)) and @ad < "20031124" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/13 12:00 |
| S68 | 223 | ((hash\$3 digest or signature) with (cryptography or encrypt \$4) with (condition\$3 or terms or policy) with (data or content)) and @ad < "20031124" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/02/13 12:01 |
| S69 | 274 | ((hash\$3 digest or signature) with (cryptography or encrypt \$4) with (condition\$3 or terms or policy) with (data or content)) and @ad < "20031124" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/13 12:01 |
| S70 | 94 | S65 and S68 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/13 12:02 |

2/ 13/ 2010 3:03:36 PM

C:\Documents and Settings\nwoldemariam\ My Documents\ EAST\ Workspaces\ 10539648.wsp